

SAFETY DATA SHEET

Issue Date 10-Sep-2015 Revision Date 10-Sep-2015 Version

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Tsunami

Other means of identification

SDS# JC-013-008

Details of the supplier of the safety data sheet

Company Name Newline Industries LLC

1030 West Amelia Street

Suite D

Orlando, FL 32805 407-480-5464

Emergency telephone number

Emergency Telephone INFOTRAC 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Harmful if inhaled Causes skin irritation Causes serious eye irritation



Appearance Dry, free flowing granules

Physical state Powder

Odor Mild

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

2% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Tripolyphosphate	7758-29-4	30-60	*
Sodium Carbonate	497-19-8	10-30	*
2-butoxyethanol	111-76-2	3-7	*
Sodium Metasilicate	6834-92-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician.

Skin ContactWash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Immediate medical attention is not required. Wash off immediately with

soap and plenty of water while removing all contaminated clothes and shoes.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least

15 minutes. Keep eye wide open while rinsing.

Inhalation Remove to fresh air, If symptoms persist, call a physician, Immediate medical attention is

not required. Move to fresh air in case of accidental inhalation of vapors.

Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT

induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water. Prevent product from entering drains. Dam up.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required. Use with local exhaust ventilation. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed. Keep out of the reach of children. Keep containers tightly

closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		S*	
Tetrasodium Pyrophosphate	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
7722-88-5			-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Powder Physical state

Appearance Dry, free flowing granules

Blue White Color Odor Mild

No Information available **Odor threshold**

Property Remarks • Method

Not an Aqueous Solution Hq

Specific Gravity Not Applicable

Viscosity No Information available Melting point/freezing point No Information available

Flash point

Flammability Limits in Air

Above 200°F Boiling point / boiling range Not Applicable

Evaporation rate No Information available Flammability (solid, gas) No data available

Tsunami

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available Water solubility No Information available **Partition coefficient** No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

Density Lbs/Gal Not Applicable

VOC Content (%)

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid inhalation of dust. Harmful by inhalation.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact Avoid contact with skin. Irritating to skin.

Ingestion May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Tripolyphosphate 7758-29-4	= 3120 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m ³ (Rat) 2 h
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium Metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol	A3	Group 3	-	-
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
Aspiration hazard
No Information available.
No Information available.
Avoid repeated exposure.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 2,768.00 mg/kg

 ATEmix (dermal)
 9,424.00 mg/kg

 ATEmix (inhalation-dust/mist)
 4.80 mg/l

 ATEmix (inhalation-vapor)
 9,000.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

52% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Tripolyphosphate 7758-29-4	-	1650: 48 h Leuciscus idus mg/L LC50	-
Sodium Sulfate 7757-82-6	-	13500: 96 h Lepomis macrochirus mg/L LC50 13500 - 14500: 96 h Pimephales promelas mg/L LC50 3040 - 4380: 96 h Lepomis macrochirus mg/L LC50 static 6800: 96 h Pimephales promelas mg/L LC50 static	630: 96 h Daphnia magna mg/L EC50 2564: 48 h Daphnia magna mg/L EC50
Sodium Carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 210: 96 h Brachydanio rerio mg/L LC50 semi-static	216: 96 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient	

Tsunami

2-butoxyethanol	0.81
111-76-2	

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Carbonate	Corrosive
497-19-8	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
2-butoxyethanol - 111-76-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol	X	X	X
111-76-2			
Tetrasodium Pyrophosphate	X	X	X
7722-88-5			
Sodium Trimetaphosphate	-	X	X
7785-84-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OT	THER I	NFORI	MAT	ION
--------	--------	-------	-----	-----

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection X

 Issue Date
 10-Sep-2015

 Revision Date
 10-Sep-2015

 Revision Note
 10-Sep-2015

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet